

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	112	leadtek.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 15:24
S1	3	sun-shih-ching.in. chen-mei-juan\$. in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 15:24
S3	2	("20050063568").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:22
S4	39	(face near5 (detect\$3 locat\$3 recogni\$4 identif\$7)) with motion with skin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 15:06
S7	2	("5864630").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 15:20
S5	44	(fac\$3 near5 (detect\$3 locat\$3 recogni\$4 identif\$7)) with motion with skin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 15:20
S6	129	(fac\$3 near5 (detect\$3 locat\$3 recogni\$4 identif\$7)) with motion with (skin colo\$1r)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 15:21
S8	59	(fac\$3 with (eye near5 pair) with (verif\$7 confirm\$5 validat\$3 ascertain\$3 confidence support\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 15:33
S10	12	S9 same (image frame difference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 15:43

EAST Search History

S13	12	((IIR "infinite impulse response") near5 filter\$3) with ((frame image) near5 (motion move\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 15:53
S12	7	((IIR "infinite impulse response") near5 filter\$3) with ((frame image) near5 differenc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 15:53
S11	5	S9 same (motion move\$4 (frame near5 difference))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 15:54
S15	120	((IIR "infinite impulse response") near5 filter\$3) with (motion move\$4 (frame near5 difference))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 15:55
S14	329	((IIR "infinite impulse response") near5 filter\$3) same (motion move\$4 (frame near5 difference))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 15:55
S16	21	((IIR "infinite impulse response") near5 filter\$3) with (image frame difference) same enhanc\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 15:58
S17	19	(skin near5 colo\$1r) with (range value threshold bound) with (CrCb Cr Cb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 09:00
S18	1	((skin flesh fac\$3) near5 colo\$1r) with (benefit\$3 reason advantag\$4 rationale why) with (CrCb Cr Cb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 09:02
S20	24	((skin flesh fac\$3) near5 colo\$1r) with (CrCb Cr Cb "color difference")) with (benefit\$3 reason advantag\$4 rationale why)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 09:03
S19	71	((skin flesh fac\$3) near5 colo\$1r) with (CrCb Cr Cb "color difference")) same (benefit\$3 reason advantag\$4 rationale why)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 09:06

EAST Search History

S21	6	((skin flesh face facial) near5 colo\$1r) with (CrCb Cr Cb)) same (benefit\$3 reason advantag\$4 rationale why)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 09:07
S23	14	((color adj1 space) with (CrCb Cr Cb)) with (benefit\$3 reason advantag\$4 rationale why motivation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 09:26
S24	2	("5164992").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/01 09:27
S9	74	((IIR "infinite impulse response") near5 filter\$3) with enhanc\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 12:19
S26	22	label\$4 with (component near5 size) with (according respect depend\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 12:21
S25	370	label\$4 with (component near5 (size dimension count))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 12:22
S28	321	(eye with (aspect adj1 ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 14:07
S27	29	image same (label\$4 with (component near5 (size dimension count)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 14:07
S31	68	(eye near5 (check\$3 verif\$7)) with (ratio shape)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 14:10
S30	42	(eye near5 (valid\$5 verif\$7)) with (ratio shape)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 14:10

EAST Search History

S29	828	(eye near5 (check\$3 valid\$5 verif\$7 confirm\$5 determin\$4 conclud\$3)) with (ratio shape)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 14:10
S33	170	(eye near5 detect\$3) with (ratio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 14:19
S32	30	(eye near5 (verif\$7)) with (ratio shape)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 14:19
S34	11	(eye near5 detect\$3) with (aspect adj1 ratio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 14:23
S35	1763	(eye near5 detect\$3) with (size area ratio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 14:24
S36	35	(eye near5 detect\$3) with (size area) with ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 16:11
S37	20	(eye near5 pair) with (angle angular orientation) with ("45" forty\$1five)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 16:13
S39	377	(eye) with (angle angular orientation) with ("45" forty\$1five)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 16:21
S40	243	(eye) with (angle angular orientation) with (("45" forty\$1five) adj1 degree)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 16:22
S41	91	(eye near5 (angle angular orientation)) with (("45" forty\$1five) adj1 degree)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 16:24

EAST Search History

S42	87	S40 and face and image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 16:25
S43	77	S40 and ((face eye) near5 (detect\$3 locat\$3 identif\$7 determin\$5 recogni\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 16:26
S38	38	(eye near5 (pair both two)) with (angle angular orientation) with ("45" forty\$1five)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/02 07:47
S44	137	(eye near5 (pair both two)) with (angle angular orientation) with degree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/02 07:55
S45	18	S44 same (check\$3 valid\$5 verif\$7 ascertain\$3 determin\$5 accept\$3 reject\$3 eliminat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/02 07:56
S47	62	(image frame) same ((face near5 (polygon box rectangle)) with ((three middle center) near5 (part section segment portion area region)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/02 09:03
S48	5	S44 and S46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/02 09:04
S46	7053	382/103,107,117,118,164,165,194, 203,260,265;348/155,606,610, 625;358/532.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/02 09:04



[SPIE DL home](#) | [Scitation home](#) | [Search SPIN](#) | [help](#) | [contact](#) | [sign in](#) | [sign out](#)

[SPIE Digital Library](#)

[Proceedings](#)

[Journals](#)

SPIE—The International Society for Optical Engineering

[My SPIE Subscription](#) | [My E-mail Alerts](#) | [My Article Collections](#)

[Home](#) » [Advanced Search](#) » [Search Results](#)

SEARCH DIGITAL LIBRARY

[\[Back to Search Query\]](#) | [Start New Search](#) | [Searching Hints](#)

Search

Advanced Search

BROWSE PROCEEDINGS

- ☐ Proceedings
 - ☐ By Year
 - ☐ By Symposium
 - ☐ By Volume No.
 - ☐ By Volume Title
 - ☐ By Technology

BROWSE JOURNALS

- ☐ Journals
 - ☐ Optical Engineering
 - ☐ J. Electronic Imaging
 - ☐ J. Biomedical Optics
 - ☐ J. Micro/Nanolithography, MEMS, and MOEMS
 - ☐ J. Applied Remote Sensing
 - ☐ J. Nanophotonics

SUBSCRIPTIONS & PRICING

- ☐ Institutions & Corporations
- ☐ Personal subscriptions

GENERAL INFORMATION

- ☐ About the Digital Library
- ☐ Terms of Use
- ☐ SPIE Home

Search Results

You were searching for : (((eye <near/5> (pair <or> two)) <near/20> (orientation <or> angle))) <AND> usdate <=24-sep-2003~~085~~ ②

You found 2 out of 233976 (2 returned)
Documents 1 - 2 listed on this page

[Related SPIE Products]

96%

1. ☐ **Binocular retinal scanning laser display with integrated focus cues for ocular accommodation**
Brian T. Schowengerdt, Eric J. Seibel, John P. Kelly, Nicholas L. Silverman, and Thomas A. Furness III
Proc. SPIE **5006**, 1 (2003) **Full Text:** [PDF (367 kB)] (9 pages)

93%

2. ☐ **Multiresolution stereoscopic immersive communication using a set of four cameras**
Takeshi Naemura, Kaoru Sugita, Takahide Takano, and Hiroshi Harashima
Proc. SPIE **3957**, 271 (2000) **Full Text:** [PDF (4057 kB)] (12 pages)



[home](#) | [proceedings](#) | [journals](#)

[Terms of Use](#) | [Privacy Policy](#) | [Contact](#)

© 1994 - 2007



The International Society
for Optical Engineering

[SPIE DL home](#) | [Scitation home](#) | [Search SPIN](#) | [help](#) | [contact](#) | [sign in](#) | [sign out](#)

SPIE Digital Library

Proceedings

Journals

**SPIE—The International
Society for Optical Engineering**[My SPIE Subscription](#) | [My E-mail Alerts](#) | [My Article Collections](#)[Home](#) » [Advanced Search](#) » [Search Results](#)

SEARCH DIGITAL LIBRARY

[\[Start New Search\]](#) | [Searching Hints](#)

You were searching for : (((face <near/20> (box <or> rectangle <or> polygon)) <and>((average <or> mean) <near/5> (middle <or> center)))) <AND> usdate <=24-sep-2003

Search

Advanced Search

No documents found for your query.

BROWSE PROCEEDINGS

- ▣ Proceedings
 - ▣ By Year
 - ▣ By Symposium
 - ▣ By Volume No.
 - ▣ By Volume Title
 - ▣ By Technology

BROWSE JOURNALS

- ▣ Journals
 - ▣ Optical Engineering
 - ▣ J. Electronic Imaging
 - ▣ J. Biomedical Optics
 - ▣ J. Micro/Nanolithography, MEMS, and MOEMS
 - ▣ J. Applied Remote Sensing
 - ▣ J. Nanophotonics

SUBSCRIPTIONS &
PRICING

- ▣ Institutions & Corporations
- ▣ Personal subscriptions

GENERAL INFORMATION

- ▣ About the Digital Library
- ▣ Terms of Use
- ▣ SPIE Home

[home](#) | [proceedings](#) | [journals](#)[Terms of Use](#) | [Privacy Policy](#) | [Contact](#)

© 1994 - 2007

The International Society
for Optical Engineering


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(((eye <near/5> (pair <or> two)) <sentence> (orientation <or> angle)<in..."

☐ e-mail

Your search matched 3 of 1513808 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)
[New Search](#)

Modify Search

☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard


 [Select All](#) [Deselect All](#)

- ☐ 1. Locating the eye in human face images using fractal dimensions
Lin, K.-H.; Lam, K.-M.; Siu, W.-C.;
[Vision, Image and Signal Processing, IEE Proceedings-](#)
Volume 148, Issue 6, Dec. 2001 Page(s):413 - 421
Digital Object Identifier 10.1049/ip-vis:20010709
[AbstractPlus](#) | Full Text: [PDF](#)(1157 KB) IET JNL
- ☐ 2. Locating the human eye using fractal dimensions
Kwan-Ho Lin; Kin-Man Lam; Wan-Chi Siu;
[Image Processing, 2001. Proceedings. 2001 International Conference on](#)
Volume 3, 7-10 Oct. 2001 Page(s):1079 - 1082 vol.3
Digital Object Identifier 10.1109/ICIP.2001.958314
[AbstractPlus](#) | Full Text: [PDF](#)(400 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. 'The digital doorkeeper'-automatic face recognition with the computer
Seitz, P.; Bichsel, M.;
[Security Technology, 1991. Proceedings. 25th Annual 1991 IEEE International Conference on](#)
1-3 Oct. 1991 Page(s):77 - 83
Digital Object Identifier 10.1109/CCST.1991.202194
[AbstractPlus](#) | Full Text: [PDF](#)(684 KB) IEEE CNF
[Rights and Permissions](#)

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -

 Indexed by
 Inspec



❑ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

 e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)

[New Search](#)

Modify Search

(((face <sentence> (box <or> rectangle <or> polygon)<in>metadata) <and> (average

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

» **Key**

IEEE JNL IEEE Journal or Magazine

IET JNL **IET Journal or Magazine**

IEEE CNF IEEE Conference
ProceedingIET CNF IET Conference
Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance with search.

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -

Indexed by
 Inspect®